



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/904,624	07/16/2001	Amir I. Zaghloul	A7791	2986
7590 03/15/2005			EXAMINER	INER
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC			D AGOSTA, STEPHEN M	
2100 Pennsylvania Avenue, NW			ART UNIT	PAPER NUMBER
	OC 20037-3213		2683	
			DATE MAILED: 03/15/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/904,624	ZAGHLOUL ET AL.			
		Examiner	Art Unit			
		Stephen M. D'Agosta	2683			
Ti	he MAILING DATE of this communication a		<u> </u>			
Period for R	Period for Reply					
THE MAI - Extension after SIX (- If the period - If NO period - Failure to Any reply	TENED STATUTORY PERIOD FOR REP LING DATE OF THIS COMMUNICATION s of time may be available under the provisions of 37 CFR 1 (6) MONTHS from the mailing date of this communication. od for reply specified above is less than thirty (30) days, a report of the communication of the commun	136(a). In no event, however, may a reply be till ply within the statutory minimum of thirty (30) day do will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE.	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)⊠ Re	sponsive to communication(s) filed on <u>08</u>	November 2004.				
· -	·	is action is non-final.				
3)□ Sin	,					
clo	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition	of Claims					
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.						
-	4a) Of the above claim(s) is/are withdrawn from consideration.					
	☐ Claim(s) <u>5 and 8-12</u> is/are allowed.					
· · · <u> </u>	☐ Claim(s) <u>1-4, 6-7 and 13-20</u> is/are rejected.					
<u> </u>	Claim(s) is/are objected to.					
8)☐ Cla	Claim(s) are subject to restriction and/or election requirement.					
Application	Papers					
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority und	er 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1.[1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)		. 🗖 .				
	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D				
3) Information	on Disclosure Statement(s) (PTO-1449 or PTO/SB/0 (s)/Mail Date		Patent Application (PTO-152)			

Art Unit: 2683

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 11-8-04 have been fully considered but they are not persuasive.

- 1. The applicant is required to send a signed OATH/DECLARATION specifying the inventor's citizenship.
- 2. The applicant's amendments to the drawings, abstract and specification overcome the examiner's objections
 - 3. The applicant argues:

"...Monte teaches a communication system in which he designates the entire coverage of the satellite a beam and further designates the individual beams as sub-beams. According to the present invention, the individual beam coming from a single antenna is the basic beam and that single beam is divided into sub-beams. In short, the sub-beams in Monte correspond to the basic beam in the present invention. Given that difference in definition, it is clear that the present application takes Monte a step beyond its teachings and further divides the sub-beams" in Monte. On the basic of applicant's definition in the specification and as clarified herein, Applicant has divided the basic beam (sub-beam in Monte) further into what Applicants call sub-beams for the purpose of reducing the gain difference between the peak value and the gain at the sub-beam edge, thus reducing the antenna aperture size. This further division is not taught by Monte, thereby avoiding anticipation. Moreover, the concept of further division is not obvious to one skilled in the art. Applicants are prepared to refer to its sub-beams as microbeams throughout the disclosure and claims, if the Examiner would find this terminology clearer..."

The examiner notes that the claim is broadly written and hence open to interpretation. The applicant's "discussion" above is not an argument but merely their interpretation of their claim -- therefore, they should amend their claim to better define that which is being disclosed. Monte teaches a beam and component sub-beams which reads on the claim, hence the rejection is correct (and anticipates even further division of a beam/sub-beam into smaller parts). Further, the statement that "...Applicant has divided the basic beam (sub-beam in Monte) further into what Applicants call sub-beams for the purpose of reducing the gain difference between the peak value and the gain at the sub-beam edge, thus reducing the antenna aperture size..." is again an interpretation and not found in the claim.

Application/Control Number: 09/904,624 Page 3

Art Unit: 2683

4. The applicant provides a "comment" for claims 2-4 and 13 are not arguments. The examiner notes that the Office Action provided column/line numbers for the rejection of these claims and thus stands behind that rejection.

- 5. The applicant argues (for claim 7) that:
- "...This claim defines further the concept of sub-beams (micro-beams) as filling the whole area of the basic beam, thus the contiguous nature of the sub-beams (micro-beams). The way the sub-beams (micro-beams) are structured is to produce the smaller differential between the peak gain and edge gain. This may not be achieved using Monte's shapes for the sub-beams...."

The examiner notes that this above statement is a comment and not an argument. The Office Action showed where Monte taught that which was disclosed. The statement regarding "..The way the sub-beams (micro-beams) are structured is to produce the smaller differential between the peak gain and edge gain. This may not be achieved using Monte's shapes for the sub-beams...." is not disclosed in the claim and thus is an interpretation of the claim.

- 6. The applicant argues (for claim 16) that:
- "...The number of sub-beams in Monte is more or less arbitrary, where the number of basic beams and sub-beams (micro-beams) in the present invention is dictated by the contiguous nature of the basic beams and sub-beams and the frequency re-use structure..."

Again, this appears to be a "comment" since the applicant is interpreting an outcome versus what is disclosed in the claim. The examiner's rejection still stands.

Oath/Declaration

It does not identify the citizenship of each inventor. The citizenship for Amir Zaghloul is not listed.

Art Unit: 2683

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-4, 7, 13 and 16 rejected under 35 U.S.C. 102(e) as being anticipated by Monte et al. US 6,101,385 (hereafter Monte).

As per claim 1, Monte teaches a method of communicating via satellite in a system comprising a satellite having a first type antenna capable of transmission of communication signals to a region on the earth's surface and a plurality of earth stations disposed in said region, each earth station having a second type of antenna capable of reception of said signals (Title, Abstract and figure 3 shows satellite #20 communicating with both earth stations #23 and mobile users #30 and C2, L66 to C4, L17), said method comprising:

Transmitting from said first antenna multiple sub-beams within bandwidth allocated to a basic spot beam to said plurality of antennas in said region (C1, L31-45 teaches re-use of allocated bandwidth, via spatial diversity, that divides the service region into sub-regions and employs separate smaller sub-beams to serve each sub-region. Also see figures 1-2 which discloses a spot beam divided into smaller sub-beams and is described in C1, L46-62 and C2, L3-20).

As per **claim 2**, Monte teaches claim 1 wherein the sub-beams are transmitted within the frequency range of said basic spot beam (C1, L31-45 and C2, L3-20 teaches one beam which is divided into sub-beams to re-use said one beam's allocated bandwidth which inherently would use it's same frequency range. Also figure 3 shows

Art Unit: 2683

the earth station uplink being 5091-5250Mhz and downlink being 6875-7055Mhz which constrains the frequency range for one or more signals being transmitted from earth station to satellite).

As per **claim 3**, Monte teaches claim 1 wherein said sub-beams are transmitted in a plurality to form a cluster wherein said cluster has same coverage area in said region as said basic spot beams (abstract, figures 1 and 2 show a spot beam being divided into a cluster arrangement which serves the region as that of the spot beam, C1, L22-62).

As per **claim 4**, Monte teaches claim 1 wherein said sub-beams are transmitted by use of a phased array antenna (C1, L60-62).

As per claim 7, Monte teaches claim 3 wherein said clusters are transmitted so as to form a coverage area, said coverage area is a contiguous area defined by a matrix, where each facet of said matrix has interlocking borders, said borders defined as the contours of said spot beam (figures 1-2 show a spot beam that is divided into a coverage area cluster defined by a matrix [eg. is numbered] with interlocking borders that cover the contours of the full spot beam. The examiner notes the comparison of this claim and the applicant's figure 2a showing a spot covered by concentric circles to Monte's figures 1-2 which provide similar coverage and hence read on the claim).

As per claim 13, Monte teaches claim 4 wherein said transmission originates from a low or medium earth orbiting system (figure 3, LEO satellite #20, C4,L1-5).

As per **claim 16**, Monte teaches claim 1 wherein said sub-beams number 4 or more (figues 1-2 show more than 4 sub-beams).

Art Unit: 2683

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

<u>Claim 6</u> rejected under 35 U.S.C. 103(a) as being unpatentable over Monte as applied to claim1 above, and further in view of Dent US 6,377,558 (hereafter Dent).

As per claim 6, Monte teaches claim 1 but is silent on wherein said sub-beams require less peak gain than said basic spot beam.

Dent teaches that a <u>beam</u> using the whole aperture (eg. a basic spot beam) the beam gain would have 6 dB more times the peak power/gain of a beam not using the entire aperture (eg. a sub-beam) which will therefore have less peak gain (C6, L35-47).

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify Monte, such that a sub-beam requires less peak gain than a basic spot beam, to provide means for controlling gain based on using a spot beam or sub-beam as the situation dictates.

<u>Claims 14-15 and 17-19</u> rejected under 35 U.S.C. 103(a) as being unpatentable over Monte as applied to claim1 above, and further in view of Eguchi US 5,594,460 (hereafter Eguchi).

As per **claim 14**, Monte teaches claim 1 **but is silent on** said basic beam has 3 or more dB of gain drop.

Eguchi teaches an antenna array system (title) whereby a single element/spot beam (figure 5, #20) has a broad 3 dB beam width (eg. gain)[C6, L42-47]. The examiner notes that 3dB beam width is the width of the beam (eg. the spot beam) that will have 3 dB of gain.

Art Unit: 2683

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify Monte, such that said basic beam has 3 or more dB of gain drop, to provide means for the antenna to have sufficient gain as a basic beam while suppressing losses and phase jumps (per Eguchi, C6, L50-55).

As per claim 15, Monte teaches claim 1 but is silent on said sub-beam has less than 1 dB of gain drop.

Eguchi teaches an antenna array system (title) whereby a single element (figure 5, #20) has a broad 3 dB beam width and multiple "targets" can be covered by anyone of the beams b0-b5 with a <u>drop in gain</u> of 1 dB or less (C6, L47-50).

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify Monte, such that the sub-beam has less than 1dB of gain drop, to provide optimal RF communications link when using sub-beams by only having a 1dB drop in gain or less while suppressing losses and phase jumps (per Eguchi C6, L50-55).

As per claim 17, Monte teaches a communication system comprising a satellite having a first type of antenna capable of transmission of communication signals to a region on the earth's surface and a plurality of earth stations disposed in said region, each earth station having a second antenna capable of reception of said signals (Title, Abstract and figure 3 shows satellite #20 communicating with both earth stations #23 and mobile users #30 and C2, L66 to C4, L17);

A phased array antenna (C1, L60-62);

A digital beam former that produces multiple sub-beams within the parameters of a basic spot beam (C10, L21-31 teaches phased array and L58-64 teaches connection between array elements and beam-former network/hardware, also see figure 4. Sub-beams disclosed in C1, 30-62); and

But is silent on an aperature sized to produce sub-beams with a gain drop of less than 3dB.

Art Unit: 2683

Eguchi teaches an antenna array system (title) whereby a single element/spot beam (figure 5, #20) has a broad 3 dB beam width (eg. gain)[C6, L42-47]. The examiner notes that 3dB beam width is the width of the beam (eg. the spot beam) that will have 3 dB of gain. Eguchi also teaches an antenna array system (title) whereby a single element (figure 5, #20) has a broad 3 dB beam width and multiple "targets" can be covered by anyone of the beams b0-b5 with a drop in gain of 1 dB or less (C6, L47-50).

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify Monte, such that the sub-beam has less than 1dB of gain drop, to provide optimal RF communications link when using sub-beams by only having a 1dB drop in gain or less while suppressing losses and phase jumps (per Eguchi C6, L50-55).

As per **claim 18**, Monte in view of Eguchi teaches claim 17 and said antenna and digital beam former are installed on a satellite (figure 4 shows antenna and beamformer hardware installed on satellite, C10, L21-64).

As per **claim 19**, Monte in view of Eguchi teaches claim 18 and said satellite is in low or medium earth orbit (C4, L1-7).

<u>Claim 20</u> rejected under 35 U.S.C. 103(a) as being unpatentable over Monte as applied to claim1 above, and further in view of Norin et al. US 6,434,384 (hereafter Norin).

As per claim 20, Monte teaches a satellite antenna (abstract and figure 3, #20) comprising:

A phased array antenna (C1, L60-62);

A digital beam former operatively connected to said phased array antenna and adapted to produce multiple sub-beams (C10, L21-31 teaches phased array and L58-64

Art Unit: 2683

teaches connection between array elements and beam-former network/hardware, also see figure 4. Sub-beams disclosed in C1, 30-62),

But is silent on each said sub-beam having a gain that at its peak is approximately equal to an edge gain.

Norin teaches the smaller a beam's peak-to-edge gain differential, the higher will be the signal quality towards the edges of the service area (C6, L50-58). Hence the examiner interprets Norin's "small differential" as reading on the applicant's "approximately equal" language.

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify Monte, such that the peak gain is approximately equal to the edge gain, to ensure higher signal quality towards the edges of the service area.

Allowable Subject Matter

<u>Claims 5 and 8-12 allowed.</u> The applicant has amended per the examiner's recommendation.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2683

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. D'Agosta whose telephone number is 703-306-5426. The examiner can normally be reached on M-F, 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bill Trost can be reached on 703-308-5318. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen D'Agosta PRIMARY EXAMINER 3-7-05

